$$C = \lambda \cdot V$$

$$V = \frac{C}{\lambda}$$

$$E = h \cdot V$$
Chemistry ~ Ch

Name: LALVIN Date: Hour:

Chemistry ~ Ch.5 Practice


1) Fill in the electromagnetic spectrum below. (Indicate trends in frequency, wavelength, speed and energy.)

visible light

ROYGBIV

2) Label the crest, trough, wavelength and amplitude.

crest




3) In a different color/dashed/dotted/etc, draw a second wave in #2 that has twice the amplitude and the same wavelength of the other.

Circle the best answer

- 4) Frequency and wavelength are (directly inversely) proportional.
- 5) Energy and frequency are (directly, inversely) proportional.
- 6) Red light has a (lower) higher) frequency than Blue light.
- 7) Microwaves have a clarger, smaller) wavelength than UV light.
- 8) Light will (speed up, slow down) when it travels from air to glass.
- 9) Radio waves are (faster, slower, the same speed) when compared to Infrared radiation.

10) COMPARE radio waves and gamma rays in terms of frequency, wavelength, energy and speed



Lightning/thunder, fireworks, hammering in distance, etc ...

- 12) Identify the following elements:
 - a. ...5f¹²
 - b. 48 electrons Cd
 - c. ...4d⁷ Rh
 - d. ... $6p^3$
 - e. $\dot{\chi}$: (give two possible choices for this one) $\dot{\chi}$
- 13) Give the general (use "X" for symbol) Lewis dot diagram for elements found in:
 - a. Group 18
 - b. Group 2
 - c. Group 7
 - d. d-block
- 14) Tell which block from the periodic table each of the following belong to:
 - i. Francium
 - ii. Tin
 - iii. Tungsten
 - iv. Californium
 - v. Helium
 - vi. Zinc
 - vii. S⁻²
 - viii. Na⁺¹

15) Element X has an electron configuration of 1s ² 2s ² 2p ⁶ 3s ² 3p ⁶ 4s ¹	
a) Identify the element (Symbol)	
b) Which group and which period does it belong to? Period 4, grov	p 1
c) Is it a metal, nonmetal, or metalloid? Metal	
d) Draw a Lewis dot diagram for this element	
e) List TWO other elements likely to have similar properties Na	Li
f) Would this element be likely to gain or lose electrons?	-
Why? Lose, if one is lost it reaches an octet 16) Give noble gas configuration for: (a) a. Fluorine [15]2522p5 [He] 2522p5	in.
19 b. Potassium (1522522p63523p6)45 (Ar) 451	
(82) c. Lead [152252p63523p64523d104p6 5524d105p6]6524F145d10 [Xe]6524F145d106p2	Бр
17) Find the frequency for a wave with a wavelength of 4.55x10 ⁻⁷ m.	
SHOW WORK, SIG DIGS, UNITS!	
$V = ?$ $\lambda = 4.55 \times 10^{-7} \text{m}$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$ $V = \frac{C}{\lambda} = (3.00 \times 10^{8} \text{ M/s})$	ě
18) Find the wavelength for wave that is 4.2×10^{14} Hz.	
2=? V=4.2x1014Hz C=3.60x108m/s (4.2 x10 14/8) = 7.14x107 m	